

# Identi-T™ Stress Assessment

Name \_\_\_\_\_ Age \_\_\_\_\_ Sex \_\_\_\_\_ Date \_\_\_\_\_

Stress is a normal part of life. Every day, we're faced with stimuli, called stressors, which can elicit the body's "fight or flight" response, setting off a cascade of physiological reactions and resulting in emotions ranging from mild to intense. But while occasional stress is natural and even healthy, chronic or acute stress can be harmful.

Please take a few moments to discover your body's response to situations you perceive as stressful. By honestly assessing how you feel, your healthcare provider can create a natural stress relief program for your individual needs.

## Directions:

Please read each statement and circle the number 0, 1, 2, or 3 that best describes your feelings or reactions throughout the course of the day. Determine the subtotal score for each section, then determine the total scores for sections A-C and C-E. Some questions may appear redundant between sections. There's a reason for each question. Don't spend much time on any one question.

0 = Never true    1 = Seldom true    2 = Sometimes true    3 = Often true

*When under stress for two weeks or longer, I...*

### Section A:

- |   |   |   |   |   |
|---|---|---|---|---|
| 1. Get wound up when I get tired and have trouble calming down.....       | 0 | 1 | 2 | 3 |
| 2. Feel driven, appear energetic but feel "burned out" and exhausted..... | 0 | 1 | 2 | 3 |
| 3. Feel restless, agitated, anxious, and uneasy.....                      | 0 | 1 | 2 | 3 |
| 4. Feel easily overwhelmed by emotion.....                                | 0 | 1 | 2 | 3 |
| 5. Feel emotional — cry easily or laugh inappropriately.....              | 0 | 1 | 2 | 3 |
| 6. Experience heart palpitations or a pounding in my chest.....           | 0 | 1 | 2 | 3 |
| 7. Am short of breath.....  | 0 | 1 | 2 | 3 |
| 8. Am constipated.....  | 0 | 1 | 2 | 3 |
| 9. Feel warm, over-heated, and dry all over.....                          | 0 | 1 | 2 | 3 |
| 10. Get mouth sores or sore tongue.....                                   | 0 | 1 | 2 | 3 |
| 11. Get hot flashes.....  | 0 | 1 | 2 | 3 |
| 12. Sleep less than seven hours a night.....                              | 0 | 1 | 2 | 3 |
| 13. Have trouble falling asleep and staying asleep.....                   | 0 | 1 | 2 | 3 |
| 14. Worry about high blood pressure, cholesterol, and triglycerides.....  | 0 | 1 | 2 | 3 |
| 15. Forget to eat and feel little hunger.....                             | 0 | 1 | 2 | 3 |

Total points: \_\_\_\_\_

### Section B:

- |   |   |   |   |   |
|---|---|---|---|---|
| 1. Find myself worrying about things big and small.....   | 0 | 1 | 2 | 3 |
| 2. Feel like I can't stop worrying, even though I want to.....  | 0 | 1 | 2 | 3 |
| 3. Feel impulsive, pent up, and ready to explode.....   | 0 | 1 | 2 | 3 |
| 4. Get muscle spasms.....   | 0 | 1 | 2 | 3 |
| 5. Feel aggressive, unyielding, or inflexible when pressed for time.....  | 0 | 1 | 2 | 3 |
| 6. See, hear, and smell things that others do not.....  | 0 | 1 | 2 | 3 |
| 7. Stay awake replaying the events of the day or planning for tomorrow.....   | 0 | 1 | 2 | 3 |
| 8. Have upsetting thoughts or images enter my mind again and again.....   | 0 | 1 | 2 | 3 |
| 9. Have a hard time stopping myself from doing things again and again,<br>like checking on things or rearranging objects over and over..... | 0 | 1 | 2 | 3 |
| 10. Worry a lot about terrible things that could happen if I'm not careful.....   | 0 | 1 | 2 | 3 |

Total points: \_\_\_\_\_

### Section C:

- |  |   |   |   |   |
|--|---|---|---|---|
| 1. Have muscle and joint pains.....  | 0 | 1 | 2 | 3 |
| 2. Have muscle weakness.....   | 0 | 1 | 2 | 3 |
| 3. Crave salt or salty things.....   | 0 | 1 | 2 | 3 |
| 4. Have multiple points on my body that when touched are tender or painful.....          | 0 | 1 | 2 | 3 |
| 5. Have dark circles under my eyes.....  | 0 | 1 | 2 | 3 |
| 6. Feel a sudden sense of anxiety when I get hungry.....                                 | 0 | 1 | 2 | 3 |
| 7. Use medications to manage pain.....   | 0 | 1 | 2 | 3 |
| 8. Get dizzy when rising or standing up from a kneeling or sitting position.....         | 0 | 1 | 2 | 3 |
| 9. Have diarrhea or bouts of nausea with or without vomiting for no apparent reason..... | 0 | 1 | 2 | 3 |
| 10. Have headaches.....  | 0 | 1 | 2 | 3 |

Total points: \_\_\_\_\_

## Section D:

1. Have trouble organizing my thoughts.....O 1 2 3
2. Get easily distracted and lose focus.....O 1 2 3
3. Have difficulty making decisions and mistrust my judgment.....O 1 2 3
4. Feel depressed and apathetic.....O 1 2 3
5. Lack the motivation and energy to stay on task and pay attention .....O 1 2 3
6. Am forgetful .....O 1 2 3
7. Feel unsettled, restless, and anxious.....O 1 2 3
8. Wake up tired and unrefreshed .....O 1 2 3
9. Experience heartburn and indigestion .....O 1 2 3
10. Catch colds or infections easily .....O 1 2 3

Total points: \_\_\_\_\_

## Section E:

1. Feel tired for no apparent reason.....O 1 2 3
2. Experience lingering mild fatigue after exertion or physical activity .....O 1 2 3
3. Find it difficult to concentrate and complete tasks .....O 1 2 3
4. Feel depressed and apathetic.....O 1 2 3
5. Feel cold or chilled – hands, feet, or all over – for no apparent reason.....O 1 2 3
6. Have little or no interest in sex.....O 1 2 3
7. Sweat spontaneously during the day.....O 1 2 3
8. Feel puffy and retain fluids.....O 1 2 3
9. Sleep more than nine hours a night.....O 1 2 3
10. Have poor muscle tone.....O 1 2 3
11. Have trouble losing weight .....O 1 2 3
12. Wake up tired even though I seem to get plenty of sleep.....O 1 2 3
13. Have no energy and feel physically weak.....O 1 2 3
14. Am susceptible to colds and the flu .....O 1 2 3
15. Feel dragged down by multiple symptoms, such as poor digestion and body aches.....O 1 2 3

Total points: \_\_\_\_\_

Add points from sections A, B & C

Total for A, B & C: \_\_\_\_\_

Add points from sections C, D & E

Total for C, D & E: \_\_\_\_\_

## Lifestyle and Health Status:

1. Circle the level of stress you experience on the scale of 1-10, 10 being the worst:

1      2      3      4      5      6      7      8      9      10

2. What do you consider to be the major causes of your stress (for example — spouse, family, friends, work, finances, wedding, pregnancy, legal, commute):

3. I eat breakfast \_\_\_\_\_ times a week. My typical breakfast is: \_\_\_\_\_

4. I take a multiple vitamin/mineral \_\_\_\_\_ days per week. I take a fish oil supplement \_\_\_\_\_ days per week.

5. I participate in 30 minutes of physical activity such as walking, aerobics (e.g., running), resistance training (e.g., weights, pilates), sports (e.g. biking), or yoga:

☐ Daily      ☐ 5-6 times per week      ☐ 3-4 times per week      ☐ 1-2 times per week      ☐ Less than once a week

6. I smoke \_\_\_\_\_ cigarettes daily.

7. I drink two or more 8 ounce cups of caffeinated coffee or other caffeinated beverages like energy/diet drinks, colas, or black or green teas:

☐ Daily      ☐ 5-6 times per week      ☐ 3-4 times per week      ☐ 1-2 times per week      ☐ Less than once a week

8. I drink two or more ounces of alcoholic beverages:

☐ Daily      ☐ 5-6 times per week      ☐ 3-4 times per week      ☐ 1-2 times per week      ☐ Less than once a week

9. List your current health problems and any over-the-counter or prescription medications that you are now taking:

Current health problem(s)

Date of onset

List all current medication(s)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



Metagenics is committed to using only environmentally-friendly papers and inks.



**SYSTEMS SURVEY FORM**  
(Restricted to Professional Use)

PATIENT \_\_\_\_\_ DOCTOR \_\_\_\_\_ DATE \_\_\_\_\_ Birth Date \_\_\_\_\_  
AGE \_\_\_\_\_ PHONE (\_\_\_\_\_) \_\_\_\_\_ VEGETARIAN \_\_\_\_ Yes \_\_\_\_ No

**INSTRUCTIONS:** Circle the number that applies to you. If symptom doesn't apply, leave blank. Use (1) for **MILD** symptoms (occurs once or twice a month), (2) for **MODERATE** symptoms (occurs several times a month), and (3) for **SEVERE** symptoms (you are aware of it almost constantly).

**GROUP ONE**

- |                                   |  |                                   |
|-----------------------------------|--|-----------------------------------|
| 1 - 1 2 3 Acid foods upset        | 8 - 1 2 3 Gag easily                       | 15 - 1 2 3 Appetite reduced       |
| 2 - 1 2 3 Get chilled, often      | 9 - 1 2 3 Unable to relax; startles easily | 16 - 1 2 3 Cold sweats often      |
| 3 - 1 2 3 "Lump" in throat        | 10 - 1 2 3 Extremities cold, clammy        | 17 - 1 2 3 Fever easily raised    |
| 4 - 1 2 3 Dry mouth-eyes-nose     | 11 - 1 2 3 Strong light irritates          | 18 - 1 2 3 Neuralgia-like pains   |
| 5 - 1 2 3 Pulse speeds after meal | 12 - 1 2 3 Urine amount reduced            | 19 - 1 2 3 Staring, blinks little |
| 6 - 1 2 3 Keyed up - fail to calm | 13 - 1 2 3 Heart pounds after retiring     | 20 - 1 2 3 Sour stomach frequent  |
| 7 - 1 2 3 Cuts heal slowly        | 14 - 1 2 3 "Nervous" stomach               |                                   |

**GROUP TWO**

- |   |   |   |
|---|---|---|
| 21 - 1 2 3 Joint stiffness after arising                  | 29 - 1 2 3 Digestion rapid                    | 37 - 1 2 3 "Slow starter"                       |
| 22 - 1 2 3 Muscle-leg-toe cramps at night                 | 30 - 1 2 3 Vomiting frequent                  | 38 - 1 2 3 Get "chilled" infrequently           |
| 23 - 1 2 3 "Butterfly" stomach, cramps                    | 31 - 1 2 3 Hoarseness frequent                | 39 - 1 2 3 Perspire easily                      |
| 24 - 1 2 3 Eyes or nose watery                            | 32 - 1 2 3 Breathing irregular                | 40 - 1 2 3 Circulation poor, sensitive to cold  |
| 25 - 1 2 3 Eyes blink often                               | 33 - 1 2 3 Pulse slow; feels "irregular"      | 41 - 1 2 3 Subject to colds, asthma, bronchitis |
| 26 - 1 2 3 Eyelids swollen, puffy                         | 34 - 1 2 3 Gagging reflex slow                |   |
| 27 - 1 2 3 Indigestion soon after meals                   | 35 - 1 2 3 Difficulty swallowing              |   |
| 28 - 1 2 3 Always seems hungry; feels "lightheaded" often | 36 - 1 2 3 Constipation, diarrhea alternating |   |

**GROUP THREE**

- |   |   |  |
|---|---|--|
| 42 - 1 2 3 Eat when nervous               | 49 - 1 2 3 Heart palpitates if meals missed or delayed              | 53 - 1 2 3 Crave candy or coffee in afternoons         |
| 43 - 1 2 3 Excessive appetite             | 50 - 1 2 3 Afternoon headaches                                      | 54 - 1 2 3 Moods of depression - "blues" or melancholy |
| 44 - 1 2 3 Hungry between meals           | 51 - 1 2 3 Overeating sweets upsets                                 | 55 - 1 2 3 Abnormal craving for sweets or snacks       |
| 45 - 1 2 3 Irritable before meals         | 52 - 1 2 3 Awaken after few hours sleep - hard to get back to sleep |  |
| 46 - 1 2 3 Get "shaky" if hungry          |   |  |
| 47 - 1 2 3 Fatigue, eating relieves       |   |  |
| 48 - 1 2 3 "Lightheaded" if meals delayed |   |  |

**GROUP FOUR**

- |  |  |  |
|--|--|--|
| 56 - 1 2 3 Hands and feet go to sleep easily, numbness | 63 - 1 2 3 Get "drowsy" often  | 68 - 1 2 3 Bruise easily, "black and blue" spots                                     |
| 57 - 1 2 3 Sigh frequently, "air hunger"               | 64 - 1 2 3 Swollen ankles worse at night                                     | 69 - 1 2 3 Tendency to anemia  |
| 58 - 1 2 3 Aware of "breathing heavily"                | 65 - 1 2 3 Muscle cramps, worse during exercise; get "charley horses"        | 70 - 1 2 3 "Nose bleeds" frequent  |
| 59 - 1 2 3 High altitude discomfort                    | 66 - 1 2 3 Shortness of breath on exertion                                   | 71 - 1 2 3 Noises in head, or "ringing in ears"                                      |
| 60 - 1 2 3 Opens windows in closed room                | 67 - 1 2 3 Dull pain in chest or radiating into left arm, worse on exertion. | 72 - 1 2 3 Tension under the breastbone, or feeling of "tightness" worse on exertion |
| 61 - 1 2 3 Susceptible to colds and fevers             |  |  |
| 62 - 1 2 3 Afternoon "yawner"                          |  |  |

# SYSTEMS SURVEY FORM - Page 2

## GROUP FIVE

- |  |   |   |
|--|---|---|
| 73 - 1 2 3 Dizziness                                   | 82 - 1 2 3 Worrier, feels insecure              | 90 - 1 2 3 History of gallbladder attacks or gallstones |
| 74 - 1 2 3 Dry Skin                                    | 83 - 1 2 3 Feeling queasy; headache over eyes   | 91 - 1 2 3 Sneezing attacks                             |
| 75 - 1 2 3 Burning feet                                | 84 - 1 2 3 Greasy foods upset                   | 92 - 1 2 3 Dreaming, nightmare type bad dreams          |
| 76 - 1 2 3 Blurred vision                              | 85 - 1 2 3 Stools light-colored                 | 93 - 1 2 3 Bad breath (halitosis)                       |
| 77 - 1 2 3 Itching skin and feet                       | 86 - 1 2 3 Skin peels on foot soles             | 94 - 1 2 3 Milk products cause distress                 |
| 78 - 1 2 3 Excessive falling hair                      | 87 - 1 2 3 Pain between shoulder blades         | 95 - 1 2 3 Sensitive to hot weather                     |
| 79 - 1 2 3 Frequent skin rashes                        | 88 - 1 2 3 Use laxatives                        | 96 - 1 2 3 Burning or itching anus                      |
| 80 - 1 2 3 Bitter, metallic taste in mouth in mornings | 89 - 1 2 3 Stools alternate from soft to watery | 97 - 1 2 3 Crave sweets                                 |
| 81 - 1 2 3 Bowel movements painful or difficult        |   |   |

## GROUP SIX

- |   |  |   |
|---|--|---|
| 98 - 1 2 3 Loss of taste for meat                       | 101 - 1 2 3 Coated tongue  | 104 - 1 2 3 Mucous colitis or "irritable bowel" |
| 99 - 1 2 3 Lower bowel gas several hours after eating   | 102 - 1 2 3 Pass large amounts of foul-smelling gas                        | 105 - 1 2 3 Gas shortly after eating            |
| 100 - 1 2 3 Burning stomach sensations, eating relieves | 103 - 1 2 3 Indigestion 1/2 - 1 hour after eating; may be up to 3 - 4 hrs. | 106 - 1 2 3 Stomach "bloating" after eating     |

## GROUP SEVEN

- |  |   |  |
|--|---|--|
| (A)  |   | (E)  |
| 107 - 1 2 3 Insomnia                                   |   | 150 - 1 2 3 Dizziness                            |
| 108 - 1 2 3 Nervousness                                |   | 151 - 1 2 3 Headaches                            |
| 109 - 1 2 3 Can't gain weight                          |   | 152 - 1 2 3 Hot flashes                          |
| 110 - 1 2 3 Intolerance to heat                        |   | 153 - 1 2 3 Increased blood pressure             |
| 111 - 1 2 3 Highly emotional                           |   | 154 - 1 2 3 Hair growth on face or body (female) |
| 112 - 1 2 3 Flush easily                               |   | 155 - 1 2 3 Sugar in urine (not diabetes)        |
| 113 - 1 2 3 Night sweats                               |   | 156 - 1 2 3 Masculine tendencies (female)        |
| 114 - 1 2 3 Thin, moist skin                           |   | (F)  |
| 115 - 1 2 3 Inward trembling                           | (C)   | 157 - 1 2 3 Weakness, dizziness                  |
| 116 - 1 2 3 Heart palpitates                           | 137 - 1 2 3 Failing memory                          | 158 - 1 2 3 Chronic fatigue                      |
| 117 - 1 2 3 Increased appetite without weight gain     | 138 - 1 2 3 Low blood pressure                      | 159 - 1 2 3 Low blood pressure                   |
| 118 - 1 2 3 Pulse fast at rest                         | 139 - 1 2 3 Increased sex drive                     | 160 - 1 2 3 Nails weak, ridged                   |
| 119 - 1 2 3 Eyelids and face twitch                    | 140 - 1 2 3 Headaches, "splitting or rending" type  | 161 - 1 2 3 Tendency to hives                    |
| 120 - 1 2 3 Irritable and restless                     | 141 - 1 2 3 Decreased sugar tolerance               | 162 - 1 2 3 Arthritic tendencies                 |
| 121 - 1 2 3 Can't work under pressure                  |   | 163 - 1 2 3 Perspiration increase                |
| (B)  | (D)   | 164 - 1 2 3 Bowel disorders                      |
| 122 - 1 2 3 Increase in weight                         | 142 - 1 2 3 Abnormal thirst                         | 165 - 1 2 3 Poor circulation                     |
| 123 - 1 2 3 Decrease in appetite                       | 143 - 1 2 3 Bloating of abdomen                     | 166 - 1 2 3 Swollen ankles                       |
| 124 - 1 2 3 Fatigue easily                             | 144 - 1 2 3 Weight gain around hips or waist        | 167 - 1 2 3 Crave salt                           |
| 125 - 1 2 3 Ringing in ears                            | 145 - 1 2 3 Sex drive reduced or lacking            | 168 - 1 2 3 Brown spots or bronzing of skin      |
| 126 - 1 2 3 Sleepy during day                          | 146 - 1 2 3 Tendency to ulcers, colitis             | 169 - 1 2 3 Allergies - tendency to asthma       |
| 127 - 1 2 3 Sensitive to cold                          | 147 - 1 2 3 Increased sugar tolerance               | 170 - 1 2 3 Weakness after colds, influenza      |
| 128 - 1 2 3 Dry or scaly skin                          | 148 - 1 2 3 Women: menstrual disorders              | 171 - 1 2 3 Exhaustion - muscular and nervous    |
| 129 - 1 2 3 Constipation                               | 149 - 1 2 3 Young girls: lack of menstrual function | 172 - 1 2 3 Respiratory disorders                |
| 130 - 1 2 3 Mental sluggishness                        |   |  |
| 131 - 1 2 3 Hair coarse, falls out                     |   |  |
| 132 - 1 2 3 Headaches upon arising wear off during day |   |  |
| 133 - 1 2 3 Slow pulse, below 65                       |   |  |
| 134 - 1 2 3 Frequency of urination                     |   |  |
| 135 - 1 2 3 Impaired hearing                           |   |  |
| 136 - 1 2 3 Reduced initiative                         |   |  |



NAME \_\_\_\_\_

## SYSTEMS SURVEY FORM - Page 3

GROUP EIGHT	FEMALE ONLY	MALE ONLY
173 - 1 2 3 Apprehension	200 - 1 2 3 Very easily fatigued	213 - 1 2 3 Prostate trouble
174 - 1 2 3 Irritability	201 - 1 2 3 Premenstrual tension	214 - 1 2 3 Urination difficult or dribbling
175 - 1 2 3 Morbid fears	202 - 1 2 3 Painful menses	215 - 1 2 3 Night urination frequent
176 - 1 2 3 Never seems to get well	203 - 1 2 3 Depressed feelings	216 - 1 2 3 Depression
177 - 1 2 3 Forgetfulness	204 - 1 2 3 Menstruation excessive and prolonged	217 - 1 2 3 Pain on inside of legs or heels
178 - 1 2 3 Indigestion	205 - 1 2 3 Painful breasts	218 - 1 2 3 Feeling of incomplete bowel evacuation
179 - 1 2 3 Poor appetite	206 - 1 2 3 Menstruate too frequently	219 - 1 2 3 Lack of energy
180 - 1 2 3 Craving for sweets	207 - 1 2 3 Vaginal discharge	220 - 1 2 3 Migrating aches and pains
181 - 1 2 3 Muscular soreness	208 - 1 2 3 Hysterectomy/ovaries removed	221 - 1 2 3 Tire too easily
182 - 1 2 3 Depression; feelings of dread	209 - 1 2 3 Menopausal hot flashes	222 - 1 2 3 Avoids activity
183 - 1 2 3 Noise sensitivity	210 - 1 2 3 Menses scanty or missed	223 - 1 2 3 Leg nervousness at night
184 - 1 2 3 Acoustic hallucinations	211 - 1 2 3 Acne, worse at menses	224 - 1 2 3 Diminished sex drive
185 - 1 2 3 Tendency to cry without reason	212 - 1 2 3 Depression of long standing	
186 - 1 2 3 Hair is coarse and/or thinning		
187 - 1 2 3 Weakness		
188 - 1 2 3 Fatigue		
189 - 1 2 3 Skin sensitive to touch		
190 - 1 2 3 Tendency toward hives		
191 - 1 2 3 Nervousness		
192 - 1 2 3 Headache		
193 - 1 2 3 Insomnia		
194 - 1 2 3 Anxiety		
195 - 1 2 3 Anorexia		
196 - 1 2 3 Inability to concentrate; confusion		
197 - 1 2 3 Frequent stuffy nose; sinus infections		
198 - 1 2 3 Allergy to some foods		
199 - 1 2 3 Loose joints		

**IMPORTANT**

TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

(TO BE COMPLETED BY DOCTOR)

Postural Blood Pressure: Recumbent \_\_\_\_\_ Standing \_\_\_\_\_ Pulse \_\_\_\_\_

Hema-Combistix Urine readings: pH \_\_\_\_\_ Albumin per cent \_\_\_\_\_ Glucose per cent \_\_\_\_\_

Occult Blood \_\_\_\_\_ pH of Saliva \_\_\_\_\_ pH of Stool specimen \_\_\_\_\_ Weight \_\_\_\_\_

Hemoglobin \_\_\_\_\_ Blood Clotting Time \_\_\_\_\_

**BARNES THYROID TEST**

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

**PRE-MENSES FEMALES AND MENOPAUSAL FEMALES**

Any two days during the month

**FEMALES HAVING MENSTRUAL CYCLES**

The 2nd and 3rd day of flow OR any 5 days in a row.

**MALES**

Any 2 days during the month.

You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.

Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____

 BP SIT \_\_\_\_\_  
 PULSE SIT \_\_\_\_\_  
 SALIVA PH \_\_\_\_\_

 BP STAND \_\_\_\_\_  
 PULSE STAND \_\_\_\_\_  
 BLOOD TYPE \_\_\_\_\_

CASE RECORD

Name \_\_\_\_\_ Date \_\_\_\_\_ Telephone \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Age \_\_\_\_\_ Weight \_\_\_\_\_ Height \_\_\_\_\_ Sex \_\_\_\_\_

Occupation \_\_\_\_\_ Married \_\_\_\_\_

History of Illness and Treatment: \_\_\_\_\_

Operations, Accidents or Injuries: \_\_\_\_\_

Present Illness or Complaints: \_\_\_\_\_

Diagnostic Summary: \_\_\_\_\_

Treatment, Recommendations and Progress: \_\_\_\_\_

Name:

Date:

# Toxicity Questionnaire

The Toxicity Questionnaire is designed to aid the practitioner in assessing a patient's or client's potential need for a purification program.

## Section I: Symptoms

Rate each of the following based upon your health profile for the past 90 days.

**Circle the corresponding number.**

0	Rarely or Never Experience the Symptom
1	Occasionally Experience the Symptom, Effect is Not Severe
2	Occasionally Experience the Symptom, Effect is Severe
3	Frequently Experience the Symptom, Effect is Not Severe
4	Frequently Experience the Symptom, Effect is Severe

### 1. DIGESTIVE

a. Nausea and/or vomiting	0 1 2 3 4
b. Diarrhea	0 1 2 3 4
c. Constipation	0 1 2 3 4
d. Bloating feeling	0 1 2 3 4
e. Belching and/or passing gas	0 1 2 3 4
f. Heartburn	0 1 2 3 4

Total: \_\_\_\_\_

### 2. EARS

a. Itchy ears	0 1 2 3 4
b. Earaches or ear infections	0 1 2 3 4
c. Drainage from ear	0 1 2 3 4
d. Ringing in ears or hearing loss	0 1 2 3 4

Total: \_\_\_\_\_

### 3. EMOTIONS

a. Mood swings	0 1 2 3 4
b. Anxiety, fear, or nervousness	0 1 2 3 4
c. Anger, irritability	0 1 2 3 4
d. Depression	0 1 2 3 4
e. Sense of despair	0 1 2 3 4
f. Uncaring or disinterested	0 1 2 3 4

Total: \_\_\_\_\_

### 4. ENERGY / ACTIVITY

a. Fatigue or sluggishness	0 1 2 3 4
b. Hyperactivity	0 1 2 3 4
c. Restlessness	0 1 2 3 4
d. Insomnia	0 1 2 3 4
e. Startled awake at night	0 1 2 3 4

Total: \_\_\_\_\_

### 5. EYES

a. Watery or itchy eyes	0 1 2 3 4
b. Swollen, reddened, or sticky eyelids	0 1 2 3 4
c. Dark circles under eyes	0 1 2 3 4
d. Blurred or tunnel vision	0 1 2 3 4

Total: \_\_\_\_\_

### 6. HEAD

a. Headaches	0 1 2 3 4
b. Faintness	0 1 2 3 4
c. Dizziness	0 1 2 3 4
d. Pressure	0 1 2 3 4

Total: \_\_\_\_\_

### 7. LUNGS

a. Chest congestion	0 1 2 3 4
b. Asthma or bronchitis	0 1 2 3 4
c. Shortness of breath	0 1 2 3 4
d. Difficulty breathing	0 1 2 3 4

Total: \_\_\_\_\_

### 8. MIND

a. Poor memory	0 1 2 3 4
b. Confusion	0 1 2 3 4
c. Poor concentration	0 1 2 3 4
d. Poor coordination	0 1 2 3 4
e. Difficulty making decisions	0 1 2 3 4
f. Stuttering, stammering	0 1 2 3 4
g. Slurred speech	0 1 2 3 4
h. Learning disabilities	0 1 2 3 4

Total: \_\_\_\_\_

### 9. MOUTH/THROAT

a. Chronic coughing	0 1 2 3 4
b. Gagging or frequent need to clear throat	0 1 2 3 4
c. Swollen or discolored tongue, gums, lips	0 1 2 3 4
d. Canker sores	0 1 2 3 4

Total: \_\_\_\_\_

### 10. NOSE

a. Stuffy nose	0 1 2 3 4
b. Sinus problems	0 1 2 3 4
c. Hay fever	0 1 2 3 4
d. Sneezing attacks	0 1 2 3 4
e. Excessive mucous	0 1 2 3 4

Total: \_\_\_\_\_

### 11. SKIN

a. Acne	0 1 2 3 4
b. Hives, rashes, or dry skin	0 1 2 3 4
c. Hair loss	0 1 2 3 4
d. Flushing	0 1 2 3 4
e. Excessive sweating	0 1 2 3 4

Total: \_\_\_\_\_

### 12. HEART

a. Skipped heartbeats	0 1 2 3 4
b. Rapid heartbeats	0 1 2 3 4
c. Chest pain	0 1 2 3 4

Total: \_\_\_\_\_

### 13. JOINTS / MUSCLES

a. Pain or aches in joints	0 1 2 3 4
b. Rheumatoid arthritis	0 1 2 3 4
c. Osteoarthritis	0 1 2 3 4
d. Stiffness or limited movement	0 1 2 3 4

Total: \_\_\_\_\_

e. Pain or aches in muscles	0 1 2 3 4
f. Recurrent back aches	0 1 2 3 4
g. Feeling of weakness or tiredness	0 1 2 3 4

Total: \_\_\_\_\_

### 14. WEIGHT

a. Binge eating or drinking	0 1 2 3 4
b. Craving certain foods	0 1 2 3 4
c. Excessive weight	0 1 2 3 4
d. Compulsive eating	0 1 2 3 4
e. Water retention	0 1 2 3 4
f. Underweight	0 1 2 3 4

Total: \_\_\_\_\_

### 15. OTHER:

a. Frequent illness	0 1 2 3 4
b. Frequent or urgent urination	0 1 2 3 4
c. Leaky bladder	0 1 2 3 4
d. Genital itch, discharge	0 1 2 3 4

Total: \_\_\_\_\_

**Section I Total:** \_\_\_\_\_

## Section II: Risk of Exposure

Rate each of the following situations based upon your environmental profile for the past 120 days.

16. Circle the corresponding number for questions 16a-16f below.

0	Never	1	Rarely	2	Monthly	3	Weekly	4	Daily
---	-------	---	--------	---	---------	---	--------	---	-------

- a. How often are strong chemicals used in your home?  
(disinfectants, bleaches, oven and drain cleaners, furniture polish, floor wax, window cleaners, etc.) 0 1 2 3 4
- b. How often are pesticides used in your home? 0 1 2 3 4
- c. How often do you have your home treated for insects? 0 1 2 3 4
- d. How often are you exposed to dust, overstuffed furniture, tobacco smoke, mothballs, incense, or varnish in your home or office? 0 1 2 3 4
- e. How often are you exposed to nail polish, perfume, hairspray, or other cosmetics? 0 1 2 3 4
- f. How often are you exposed to diesel fumes, exhaust fumes, or gasoline fumes? 0 1 2 3 4

Total: \_\_\_\_\_

17. Circle the corresponding number for questions 17a-17b below.

0	No	1	Mild Change	2	Moderate Change	3	Drastic Change
---	----	---	-------------	---	-----------------	---	----------------

- a. Have you noticed any negative change in your health since you moved into your home or apartment? 0 1 2 3
- b. Have you noticed any change in your health since you started your new job? 0 1 2 3

Total: \_\_\_\_\_

18. Answer yes or no and circle the corresponding number for questions 18a-18d below.

	No	Yes
a. Do you have a water purification system in your home?	2	0
b. Do you have any indoor pets?	0	2
c. Do you have an air purification system in your home?	2	0
d. Are you a dentist, painter, farm worker, or construction worker?	0	2

Total: \_\_\_\_\_

**Section II Total:** \_\_\_\_\_

**Grand Total (Section I & Section II)** \_\_\_\_\_

Add up the numbers to arrive at a total for each section, and then add the totals for each section to arrive at the grand total.  
If any individual section total is 6 or more, or the grand total is 40 or more, you may benefit from a purification program.

Adapted with permission from the author of *Clinical Purification™: A Complete Treatment and Reference Manual*, Dr. Gina L. Nick.